




POWERTRAX[®]

BY  **RICHMOND[™]**

EXTREME TRACTION SYSTEMS



POWERTRAX[®]
No-Slip Traction System[™]



**LOCK
RIGHT[®]**
POWERTRAX

Made in the U.S.A.

Application Guide



POWERTRAX[®]
No-Slip Traction System[™]

With the Powertrax[®] No-Slip Traction System, you can unleash your performance vehicle's maximum power or give your truck /SUV the ability to get you just about anywhere. Whether you want the added safety of high traction for everyday street use or extreme traction for the most demanding applications, the No-Slip advantage is just a simple upgrade away. Precision synchronization control provides exceptionally smooth and quiet operation. There are no friction clutches to wear out and no special lubricants required. Installs easily in about an hour with no special tools or setup needed. Easily converts your "open", limited-slip or locking differential for superior traction output.



**LOCK
RIGHT**[®]
POWERTRAX

Powertrax[®] Lock-Right Lockers are brute force devices for rugged truck applications. They provide the best value for greatly increasing the traction of 2-wheel drive and 4x4 trucks and Jeeps. Lock-Right is the first design not requiring complete replacement of the differential case assembly. Installation is simple because the ring and pinion setups are not altered. Installs easily in rear axle, front axle, or both front and rear. Best suited for extreme off-road to severe on-road use. Proven in the most demanding applications worldwide.



SECTION III Contents

EXTREME TRACTION SYSTEMS!



- *Brute force for rugged applications - on & off-road*
- *Best value for increasing traction in 2 & 4 WD vehicles*
- *Positive Traction, Full Locker*



- *Smooth, quiet operation - fully automatic*
- *Ultimate traction for 2 & 4 WD vehicles*
- *Ideal for both street & off-road*
- *Positive Traction, Full Locker*

CONTENTS	PAGE
----------	------

No-Slip and Lock-Right Model Listing	106
Application Guide by Vehicle, Model, and Year	
AMC, AMG, Buick	107
Cadillac, Chevrolet - Cars	108
Chevrolet and General Motors - Trucks	108
Chrysler and Dodge	111
Ford - Cars	113
Ford - Trucks	114
Honda, IHC, Isuzu	115
Jeep	116
Lexus, Lincoln	118
Mazda, Mercury	118
Nissan, Oldsmobile	119
Plymouth, Pontiac	120
Suzuki, Toyota	121
Front Axle Application Information	122
FAQ	122
Installation overview	124
Warnings and Cautions	127
Terms and Conditions	128

Model Listing

POWERTRAX[®]
No-Slip Traction System[™]



VEHICLE MANUFACTURER	RING GEAR	AXLE MODEL	SPLINE COUNT	DIFFERENTIAL TYPE	SPECIAL NOTES	NO-SLIP TRACTION SYSTEM	LOCK-RIGHT LOCKER
AMC	8.875"	AMC-20	29	Open		92-0120-2900	1710
AMC	8.875"	AMC-20	29	Trac Lok	Stock Axles	92-0120-2920	
CHRYSLER	8.25"		27	Open		92-0382-2705	1230
CHRYSLER	8.25"		27	Trac Lok		92-0382-2725	
CHRYSLER	8.25"		27	Sure-Grip		92-0382-2745	
CHRYSLER	8.25"		29	Open		92-0382-2905	
CHRYSLER	8.25"		29	Trac Lok		92-0382-2925	
CHRYSLER	8.75"		30	Open			1240
CHRYSLER	9.25"		31	Open		92-0392-3105	1220
CHRYSLER	9.25"		31	Trac Lok		92-0392-3125	
CHRYSLER	9.25"		31	Sure-Grip		92-0392-3145	
CHRYSLER				Powerwagon	WC, M		1210
DANA	7.75"	Model 25	10	Open			2110
DANA	7.2"	Model 27	10	Open			2115
DANA	6.625"	Model 28	23	Open			2116
DANA	7.2"	Model 30	27	Open		92-0430-2700	2210
DANA	7.565"	Model 35	27	Open	Non C-Clip (1.625)	92-0435-2700	2310
DANA	7.565"	Model 35	27	Open	IFS (1.625)	92-0435-2701	2310
DANA	7.565"	Model 35	27	Open	IFS & ABS (1.555)	92-0435-2702	2311
DANA	7.565"	Model 35	27	Open	C-Clip (1.625)	92-0435-2705	2310
DANA	7.565"	Model 35	27	Open	C-Clip & ABS (1.555)	92-0435-2706	2311
DANA	7.565"	Model 35	27	Trac Lok	C-Clip	92-0435-2725	
DANA	8.5"	Model 44	27	Open			
DANA	8.5"	Model 44	30	Open		92-0444-3000	2410
DANA	8.5"	Model 44	10	Open			2415
DANA	8.5"	Model 41	10	Open			2416
DANA	8.5"	Model 44	30	Open	IFS	92-0444-3001	2410
DANA	8.5"	Model 44	30	Trac Lok		92-0444-3020	
DANA	9.0"	Model 50	30	Open			2510
DANA	9.0"	Model 50	30	Open	IFS		2510
DANA	9.75"	Model 60	30	Open	Non C-Clip	92-0460-3000	2610
DANA	9.75"	Model 60	30	Open	C-Clip	92-0460-3005	2610
DANA	9.75"	Model 60	30	Trac Lok	Non C-Clip	92-0460-3020	
DANA	9.75"	Model 60	30	Trac Lok	C-Clip	92-0460-3025	
DANA	9.75"	Model 60	32	Open		92-0460-3200	
DANA	9.75"	Model 60	32	Trac Lok		92-0460-3220	
DANA	9.75"	Model 60	35	Open		92-0460-3500	2620
DANA	9.75"	Model 60	35	Trac Lok		92-0460-3520	
DANA	10.5"	Model 70	32	Open		92-0470-3200	2711
DANA	10.5"	Model 70	35	Open		92-0470-3500	2710
DANA	11.25"	Model 80	35	Open		92-0480-3500	2810
DANA	11.25"	Model 80	37	Open		92-0480-3700	2811
FORD	7.5"		28	Open			1830
FORD	8.0"		28	Open		92-0680-2800	1810
FORD	8.8"	3/4" shaft	28	Open		92-0688-2807	1820
FORD	8.8"	3/4" shaft	28	Trac Lok		92-0688-2827	
FORD	8.8"	3/4" shaft	31	Open		92-0688-3107	1821
FORD	8.8"	7/8" shaft	31	Open		92-0688-3108	1822
FORD	8.8"	3/4" shaft	31	Trac Lok		92-0688-3127	
FORD	8.8"	7/8" shaft	31	Trac Lok		92-0688-3128	
FORD	9"		28	Open		92-0690-2800	1810
FORD	9"		31	Open		92-0690-3100	1810
FORD	9"		35	Open		92-0690-3500	
FORD	10.25"		35	Open			1840
GM	7.2"		26	Open	IFS		1935
GM	7.5"	10 bolt	26	Open		92-0775-2605	1930
GM	7.625"	10 bolt	26	Open		92-0776-2605	1932
GM	7.625"	10 bolt	28	Open		92-0776-2805	1931
GM	7.625"	10 bolt	28	Gov Lok		92-0776-2885	
GM	8.2"	10 bolt	28	Open	B.O.P.	92-0782-2801	
GM	8.2"	10 bolt	28	Open		92-0782-2805	1940
GM	8.5"	10 bolt	28	Open		92-0785-2805	1920
GM	8.5"	10 bolt	30	Open		92-0785-3005	1921
GM	8.6"	10 bolt	30	Open		92-0786-3005	
GM	8.875"	12 bolt	30	Open		92-0788-3005	1910
GM	9.5"	14 bolt	33	Open		92-0795-3305	1950
GM	10.5"	14 bolt	30	Open		92-0705-3000	1955
NISSAN	9.1"	H233	31	Open			3220
SUZUKI	6.9"		26	Open	Samurai		1510 or 1530
SUZUKI		SJ-410		Open			1520
SUZUKI	6.9"		26	Open	Sidekick		1512 or 1532
TOYOTA	7.5"		27	Open			1611
TOYOTA	8"	2-pinion	30	Open	pre '95	92-2080-3001	1610
TOYOTA	8"	2-pinion	30	Open	Tacoma	92-2080-3002	1615
TOYOTA	8"	4-pinion	30	Open			1620
TOYOTA	8"	4-pinion	30	Open			1622
TOYOTA	8.875"	12 bolt	10	Open	Land Cruiser	92-2088-1005	1631
TOYOTA	8.875"	12 bolt	10	Open			1631
TOYOTA	8.875"	12 bolt	30	Open	L.C. Front	92-2088-3001	
TOYOTA	8.875"	12 bolt	30	Open	Land Cruiser	92-2088-3005	1630

For Maximum Protection and Performance use Part # LUBE (pg 125)



RICHMOND GEAR Synthetic Gear Oil

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
AMC (American Motors)									
<i>Cars</i>									
AMX									
		Rear Axle							
	1968 - 1970	AMC	AMC 20	29	12	V8	92-0120-2900	92-0120-2920	1710
	1968 - 1971	DANA	Model 35	27	10	4 & 6 Cyl.	92-0435-2700	92-0435-2720	2310S2
	1978	DANA	Model 35	27	10	4 & 6 Cyl.	92-0435-2700	92-0435-2720	2310S2
Eagle									
		Front Axle (see page 122)							
	1980 - 1988	DANA	Model 30	27	10		92-0430-2700		2210
		Rear Axle							
	1980 - 1988	DANA	Model 35	27	10	All	92-0435-2700	92-0435-2720	2310
Javelin									
		Rear Axle							
	1971 - 1974	DANA	Model 35	27	10	4 & 6 Cyl.	92-0435-2700	92-0435-2720	2310
Marlin									
		Rear Axle							
	1965 - 1967	DANA	Model 35	27	10	4 & 6 Cyl.	92-0435-2700	92-0435-2720	2310
AMG (American General)									
<i>Trucks</i>									
Hummer									
		Front Axle (see page 122)							
	1991 - 2000	AMC	AMC 20	29	12	Requires a new case	92-0120-2900	92-0120-2920	1710
		Rear Axle							
	1991 - 2000	AMC	AMC 20	29	12	Requires a new case	92-0120-2900	92-0120-2920	1710
BUICK									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
		Rear Axle							
	1996	GM	8.5" rg	28	10		92-0785-2805		1920
	1977 - 1985	GM	7.5" rg	26	10		92-0775-2605		1930
	1971 - 1983	GM	8.875" rg	30	12		92-0788-3005		1910
	1973 - 1976	GM	8.875" rg	31		Station Wagon			
	1965 - 1970	GM	8.2" rg	28	10	B.O.P. Differential	92-0782-2801		
Apollo									
		Rear Axle							
	1973 - 1975	GM	8.5" rg	28	10		92-0785-2805		1920
Century									
		Rear Axle							
	1978 - 1981	GM	7.5" rg	26	10		92-0775-2605		1930
	1977	GM	8.875" rg	30	12		92-0788-3005		1910
	1973 - 1977	GM	8.5" rg	28	10		92-0785-2805		1920
	1973 - 1976	GM	8.875" rg	31		Station Wagon			
Regal									
		Rear Axle							
	1978 - 1987	GM	7.5" rg	26	10		92-0775-2605		1930
	1973 - 1987	GM	8.5" rg	28	10		92-0785-2805		1920
Riviera									
		Rear Axle							
	1977 - 1978	GM	8.5" rg	28	10		92-0785-2805		1920
	1977 - 1978	GM	8.875" rg	30	12		92-0788-3005		1910
	1975 - 1976	GM	8.875" rg	31		Station Wagon			
	1971 - 1975	GM	9.375" rg						
	1965 - 1970	GM	8.2" rg	28	10	B.O.P. Differential	92-0782-2801		
Skyhawk									
		Rear Axle							
	1975 - 1980	GM	7.5" rg	26	10		92-0775-2605		1930
	1976 - 1977	GM	6.5" rg						
Skylark									
		Rear Axle							
	1978 - 1987	GM	7.5" rg	26	10		92-0775-2605		1930
	1973 - 1987	GM	8.5" rg	28	10		92-0785-2805		1920
CADILLAC									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
		Rear Axle							
	1991 - 1996	GM	8.5" rg	28	10		92-0785-2805		1920
	1991 - 1996	GM	9.5" rg	33	14		92-0795-3305		1950
	1988 - 1990	GM	7.625" rg	26	10	w/o Towing	92-0776-2605		1932
	1987 - 1990	GM	8.5" rg	28	10	Towing/Armored opt.	92-0785-2805		1920
	1985 - 1987	GM	7.5" rg	26	10	w/o Towing	92-0775-2605		1930
	1984	GM	8.5" rg	28	10	Round cover	92-0785-2805		1920
	1982 - 1984	GM	7.5" rg	26	10	DeVille/Fleetwood Brougham	92-0775-2605		1930
	1977 - 1984	GM	8.875" rg	30	12	Commercial Chassis	92-0788-3005		1910
	1977 - 1983	GM	8.875" rg	30	12	Deville cutout cover	92-0788-3005		1910
	1977 - 1982	GM	8.875" rg	30	12	Fleetwood Brougham	92-0788-3005		1910
Seville									
		Rear Axle							
	1976 - 1979	GM	8.5" rg	28	10		92-0785-2805		1920

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
CADILLAC									
<i>Trucks</i>									
Escalade									
Front Axle (see page 122)									
	1999 - 2001	GM	8.2" rg	28	10	IFS w/6 Lug			
Rear Axle									
	2001	GM	8.6" rg	30	10		92-0786-3005		
	1999 - 2000	GM	8.5" rg	30	10		92-0785-3005		1921
CHEVROLET									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
	1994 - 1996	GM	7.625" rg	28	10	V6	92-0776-2805		1931
	1971 - 1996	GM	8.5" rg	28	10	V8	92-0785-2805		1920
	1975 - 1993	GM	7.5" rg	26	10	V6	92-0775-2605		1930
	1977 - 1983	GM	8.875" rg	30	12	V8-396 Eng.or larger	92-0788-3005		1910
	1965 - 1970	GM	8.2" rg	28	10		92-0782-2805		1940
	1965 - 1970	GM	8.875" rg	30	12	V8-396 Eng.or larger	92-0788-3005		1910
Camaro									
Rear Axle									
	1993 - 2000	ZEXEL				Z28/Y87			
	1990 - 2001	GM	7.625" rg	28	10	V6	92-0776-2805	92-0776-2885(*)	1931
	1987 - 1989	GM	7.75" rg	9		V8 w/o Z87- L/S ONLY			
	1985 - 1989	GM	7.625" rg	26	10	All	92-0776-2605		1932
	1982 - 1984	GM	7.5" rg	26	10	4 cyl/V6	92-0775-2605		1930
	1971 - 1981	GM	8.5" rg	28	10	All	92-0785-2805		1920
	1967 - 1970	GM	8.875" rg	30	12	V8	92-0788-3005		1910
	1967 - 1970	GM	8.2" rg	28	10	6 cyl	92-0782-2805		1940
Caprice									
Rear Axle									
	1990 - 1996	GM	8.5" rg	30	10		92-0785-3005		1921
	1971 - 1975	GM	8.5" rg	28	10		92-0785-2805		1920
	1966 - 1970	GM	8.875" rg	30	12		92-0788-3005		1910
	1966 - 1970	GM	8.2" rg	28	10		92-0782-2805		1940
Chevvelle									
Rear Axle									
	1973 - 1977	GM	8.5" rg	28	10		92-0785-2805		1920
	1964 - 1972	GM	8.2" rg	28	10		92-0782-2805		1940
	1964 - 1972	GM	8.875" rg	30	12	SS	92-0788-3005		1910
Chevy II									
Rear Axle									
	1962 - 1967	GM	8.875" rg	30	12	w/396 or larger eng.	92-0788-3005		1910
	1962 - 1967	GM	8.2" rg	28	10		92-0782-2805		1940
Corvette									
Rear Axle									
	1984 - 1996	DANA	Model 36						
	1980 - 1996	DANA	Model 44	30					
Impala									
Rear Axle									
	1994 - 1996	GM	8.5" rg	30	10	All without G-80	92-0785-3005		1921
	1971 - 1975	GM	8.5" rg	28	10		92-0785-2805		1920
	1965 - 1970	GM	8.2" rg	28	10		92-0782-2805		1940
	1965 - 1970	GM	8.875" rg	30	12	SS	92-0788-3005		1910
Malibu									
Rear Axle									
	1978 - 1987	GM	7.5" rg	26	10		92-0775-2605		1930
Monte Carlo									
Rear Axle									
	1978 - 1987	GM	7.625" rg	26	10		92-0776-2605		1932
	1973 - 1975	GM	8.5" rg	28	10		92-0785-2805		1920
	1970 - 1972	GM	8.875" rg	30	12		92-0788-3005		1910
	1970 - 1972	GM	8.2" rg	28	10		92-0782-2805		1940
Monza									
Rear Axle									
	1975 - 1980	GM	7.5" rg	26	10	V6	92-0775-2605		1930
Nova									
Rear Axle									
	1964 - 1971	GM	8.875" rg	30	12	w/396 or larger eng.	92-0788-3005		1910
	1972 - 1975	GM	8.5" rg	28	10		92-0785-2805		1920
	1964 - 1971	GM	8.2" rg	28	10		92-0782-2805		1940
Vega									
Rear Axle									
	1975 - 1977	GM	7.5" rg	26	10	V6	92-0775-2605		1930

(*) Gov Lock Only

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
CHEVROLET/GENERAL MOTORS									
Trucks									
Astro									
Front Axle (see page 122)									
1990 - 2000	GM	7.2" rg	26						1935
Rear Axle									
1990 - 2001	GM	7.625" rg	28	10	4WD		92-0776-2805	92-0776-2885 (*)	1931
1985 - 1989	GM	7.5" rg	26	10	JM4		92-0775-2605		1930
Blazer (S-10)									
Front Axle (see page 122)									
1983 - 2003	GM	7.2" rg	26						1935
Rear Axle									
1995 - 2001	GM	8.5" rg	30	10	Z71 OPT/RPO G87		92-0785-3005		1921
1988 - 2001	GM	7.625" rg	28	10	4WD V6		92-0776-2805	92-0776-2885 (*)	1931
1983 - 1995	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL		92-0775-2605		1930
Blazer (Full size)									
Front Axle (see page 122)									
1994	GM	9.2" rg	33		IFS w/turbo diesel		92-0792-3301		1950
1992 - 1994	GM	8.2" rg	28		IFS w/6 lug				
1989 - 1991	GM	8.5" rg	30	10	Beam Axle		92-0785-3005		1921
1979 - 1988	GM	8.5" rg	28	10	Beam Axle		92-0785-2805		1920
1969 - 1980	DANA	Model 44	30	10	See cover ID chart		92-0444-3000	92-0444-3020	2410
Rear Axle									
1992 - 1994	GM	9.5" rg	33	14	All w/14 bolt cover		92-0795-3305		1950
1989 - 1994	GM	8.5" rg	30	10	All w/10 bolt cover		92-0785-3005		1921
1982 - 1988	GM	8.5" rg	28	10			92-0785-2805		1920
1969 - 1981	GM	8.875" rg	30	12			92-0788-3005		1910
El Camino									
Rear Axle									
1976 - 1987	GM	7.5" rg	26	10			92-0775-2605		1930
1973 - 1975	GM	8.5" rg	28	10			92-0785-2805		1920
1964 - 1972	GM	8.2" rg	28	10			92-0782-2805		1940
1964 - 1972	GM	8.875" rg	30	12			92-0788-3005		1910
Jimmy (S15) & S-15 Pickup									
Front Axle (see page 122)									
1991 - 2001	GM	7.2" rg	26						1935
Rear Axle									
1995 - 2001	GM	8.5" rg	30	10	Z71 OPT/RPO G87		92-0785-3005		1921
1988 - 2001	GM	7.625" rg	28	10	4WD V6		92-0776-2805	92-0776-2885 (*)	1931
1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL		92-0775-2605		1930
Jimmy (Full size)									
Front Axle (see page 122)									
1994	GM	9.2" rg	33		IFS w/turbo diesel		92-0792-3301		1950
1992 - 1994	GM	8.2" rg	28		IFS w/6 lug				
1989 - 1991	GM	8.5" rg	30	10	Beam Axle		92-0785-3005		1921
1979 - 1988	GM	8.5" rg	28	10	Beam Axle		92-0785-2805		1920
1969 - 1980	DANA	Model 44	30	10	See cover ID chart		92-0444-3000	92-0444-3020	2410
Rear Axle									
1992 - 1994	GM	9.5" rg	33	14	All w/14 bolt cover		92-0795-3305		1950
1989 - 1994	GM	8.5" rg	30	10	All w/10 bolt cover		92-0785-3005		1921
1982 - 1988	GM	8.5" rg	28	10			92-0785-2805		1920
1969 - 1981	GM	8.875" rg	30	12			92-0788-3005		1910
Pick-Up (S-10)									
Front Axle (see page 122)									
1983 - 2001	GM	7.2" rg	26	10					1935
Rear Axle									
1995 - 2001	GM	8.5" rg	30	10	Z71 OPT/RPO G87		92-0785-3005		1921
1988 - 2001	GM	7.625" rg	28	10	4WD V6		92-0776-2805	92-0776-2885 *	1931
1983 - 1995	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL		92-0775-2605		1930
Pick-Up (1/2-ton)									
Front Axle (see page 122)									
1988 - 2001	GM	9.2" rg	33	14	All w/turbo diesel		92-0792-3301	()	1950
1988 - 2001	GM	8.2" rg	28	10	IFS 6 Lug				
1978 - 1987	GM	8.5" rg	28	10	All w/10 bolt cover		92-0785-2805		1920
1963 - 1980	DANA	Model 44	30	10	See cover ID chart		92-0444-3000	92-0444-3020	2410
Rear Axle									
2000 - 2004	GM	8.6" rg	30	10			92-0786-3005		
1999 - 2004	GM	8.6" rg	30	10	All with rear disc brakes		92-0786-3005		
1989 - 1998	GM	8.5" rg	30	10	All w/10 bolt cover		92-0785-3005		1921
1978 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover		92-0785-2805		1920
1969 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover		92-0788-3005		1910
1968 - 1977	DANA	Model 44	30	10	See cover ID chart		92-0444-3000	92-0444-3020	2410

NOTE: (*) = Fits Gov Lock Differential Case Only

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited Slip	Open Case
CHEVROLET/GENERAL MOTORS									
<i>Trucks</i>									
Pick-Up (¾-ton)									
Front Axle (see page 122)									
1988 - 2001	GM	8.2" rg	28			IFS w/6 lug			
1989 - 1991	GM	8.5" rg	30	10		Beam Axle	92-0785-3005		1921
1978 - 1988	GM	8.5" rg	28	10		VIN R-or-V Only	92-0785-2805		1920
1968 - 1980	DANA	Model 44	30			See cover ID chart	92-0444-3000	92-0444-3020	2410
Rear Axle									
1973 - 2001	GM	9.5" rg	33	14		Semi-floating axle	92-0795-3305		1950
1973 - 2001	GM	10.5" rg	30	14		FF Axle	92-0705-3000		1955
	1991	GM	8.5" rg	30	10	All w/10 bolt cover	92-0785-3005		1921
1975 - 1977	DANA	Model 60	35	10		See cover ID chart	92-0460-3500	92-0460-3520	2620
1965 - 1974	DANA	Model 60	30	10		Semi-floating axle	92-0460-3000	92-0460-3020	2610
Pick-Up (1-ton)									
Front Axle (see page 122)									
1988 - 2001	GM	9.2" rg	33			IFS VIN C/K	92-0792-3301		1950
1977 - 1991	DANA	Model 60	35	10		VIN R-or-V	92-0460-3500	92-0460-3520	2620
Rear Axle									
1992 - 2001	DANA	Model 80	37	10		HD opt	92-0480-3700		2811
1989 - 1999	GM	9.5" rg	33	14		Canada,SF Axle	92-0795-3305		1950
1973 - 2001	GM	10.5" rg	30	14		w/14 bolt cover	92-0705-3000		1955
1990 - 1991	ROCKWELL	12" rg				HD opt			
1973 - 1991	DANA	Model 70	35	10		All w/10 bolt cover	92-0470-3500		2710
Safari									
Front Axle (see page 122)									
1990 - 2001	GM	7.2" rg	26						1935
Rear Axle									
1990 - 2001	GM	7.625" rg	28	10			92-0776-2805	92-0776-2885 (*)	1931
1985 - 1989	GM	7.5" rg	26	10			92-0775-2605		1930
Sonoma									
Front Axle (see page 122)									
1991 - 2001	GM	7.2" rg	26						1935
Rear Axle									
1999 - 2001	GM	8.6" rg	30	10		All with rear disc brakes	92-0786-3005		
1995 - 1998	GM	8.5" rg	30	10		Z71 OPT/RPO G87	92-0785-3005		1921
1988 - 2001	GM	7.625" rg	28	10		4WD V6	92-0776-2805	92-0776-2885 (*)	1931
1983 - 1992	GM	7.5" rg	26	10		2WD All & 4WD 4 CYL	92-0775-2605		1930
Suburban (½-ton)									
Front Axle (see page 122)									
1994 - 2001	GM	9.2" rg	33			IFS w/turbo diesel	92-0792-3301		1950
1992 - 2001	GM	8.2" rg	28			IFS w/o turbo diesel			
1990 - 1991	GM	8.5" rg	30	10		Beam axle	92-0785-3005		1921
1977 - 1989	GM	8.5" rg	28	10			92-0785-2805		1920
1965 - 1980	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
1965 - 1968	DANA	Model 60	35	10		10 Series HD Only	92-0460-3500	92-0460-3520	2620
Rear Axle									
2000 - 2001	GM	8.6" rg	30	10		All with rear disc brakes	92-0786-3005		
1992 - 1999	GM	9.5" rg	33	14		All w/14 bolt cover	92-0795-3305		1950
1989 - 1999	GM	8.5" rg	30	10		All w/10 bolt cover	92-0785-3005		1921
1978 - 1988	GM	8.5" rg	28	10		All w/10 bolt cover	92-0785-2805		1920
1965 - 1981	GM	8.875" rg	30	12		All w/12 bolt cover	92-0788-3005		1910
1965 - 1972	DANA	Model 60	30	10			92-0460-3005	92-0460-3025	2610
1965 - 1968	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
Suburban (¾-ton)									
Front Axle (see page 122)									
1992 - 2001	GM	8.2" rg	28			IFS w/6 lug			
1989 - 1991	GM	8.5" rg	30	10		Beam axle	92-0785-3005		1921
1978 - 1988	GM	8.5" rg	28	10		Beam axle	92-0785-2805		1920
1963 - 1980	DANA	Model 44	30	10		See cover ID chart	92-0444-3000	92-0444-3020	2410
Rear Axle									
2000 - 2004	GM	8.6" rg	30	10			92-0786-3005		
1981 - 2001	GM	9.5" rg	33	14		SF Axle w/14 bolt cover	92-0795-3305		1950
1973 - 2001	GM	10.5" rg	30	14		FF Axle w/14 bolt cover	92-0705-3000		1955
1989 - 1991	GM	8.5" rg	30	10		All w/10 bolt cover	92-0785-3005		1921
1977 - 1988	GM	8.5" rg	28	10		All w/10 bolt cover	92-0785-2805		1920
1969 - 1980	DANA	Model 44	30	10		See cover ID chart	92-0444-3000	92-0444-3020	2410
1968 - 1980	DANA	Model 60	30	10		See cover ID chart	92-0460-3000	92-0460-3020	2610
Tahoe									
Front Axle (see page 122)									
1992 - 2000	GM	8.2" rg	28	10		IFS w/6 Lug			
Rear Axle									
2000 - 2004	GM	8.6" rg	30	10		New body style	92-0786-3005		
1992 - 2000	GM	8.5" rg	30	10		Old body style	92-0785-3005		1921

NOTE: (*) = Fits Gov Lock Differential Case Only

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
CHEVROLET/GENERAL MOTORS									
<i>Trucks</i>									
Yukon/Denali									
Front Axle (see page 122)									
1992 - 2001	GM	8.2" rg	28			IFS w/6 Lug			
Rear Axle									
2004	GM	8.6" rg	30	10			92-0786-3005		
1992 - 2000	GM	8.5" rg	30	10			92-0785-3005		1921
Yukon XL - Suburban/Denali									
Front Axle (see page 122)									
2000 - 2001	GM								
Rear Axle									
2000 - 2004	GM	8.6" rg	30	10			92-0786-3005		
Vans (1/2-ton)									
Rear Axle									
1989 - 2001	GM	8.5" rg	30	10		All	92-0785-3005		1921
1979 - 1988	GM	8.5" rg	28	10		All	92-0785-2805		1920
1965 - 1981	GM	8.875" rg	30	12		All w/12 bolt cover	92-0788-3005		1910
1964 - 1971	GM	8.2" rg	28	10		All w/10 bolt cover	92-0782-2805		1940
Vans (3/4-ton)									
Rear Axle									
1996 - 2001	GM	9.5" rg	33	14		SF Axle, w/14 bolt cover	92-0795-3305		1950
1996 - 2001	GM	10.5" rg	30	14		FF Axle, w/14 bolt cover	92-0705-3000		1955
1989 - 1996	GM	8.5" rg	30	10		All w/10 bolt cover	92-0785-3005		1921
1979 - 1988	GM	8.5" rg	28	10		All w/10 bolt cover	92-0785-2805		1920
1965 - 1981	GM	8.875" rg	30	12		All w/12 bolt cover	92-0788-3005		1910
Vans (1-ton)									
Rear Axle									
1983 - 2001	GM	9.5" rg	33	14		SF Axle, w/14 bolt cover	92-0795-3305		1950
1973 - 2001	GM	10.5" rg	30	14		FF Axle, w/14 bolt cover	92-0705-3000		1955
1975 - 1991	DANA	Model 70	35	10		DRW 7500 gvw	92-0470-3500		2710
1974 - 1991	DANA	Model 60	35	10		DRW 6200 gvw	92-0460-3500	92-0460-3520	2620
CHRYSLER									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
1982 - 1989	CHRYSLER	7.25" rg	25	10		Sq. Cover			
1972 - 1989	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
1974 - 1981	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
1957 - 1973	CHRYSLER	8.75" rg	30	10					1240
1967	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
Cordoba									
Rear Axle									
1980 - 1983	CHRYSLER	7.25" rg	25	10					
1975 - 1983	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
1975 - 1979	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
Imperial									
Rear Axle									
1981 - 1983	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
1974 - 1975	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
1957 - 1973	CHRYSLER	8.75" rg	30	10					1240
LeBaron									
Rear Axle									
1977 - 1981	CHRYSLER	7.25" rg	25	9					
1977 - 1981	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
DODGE									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
1973 - 1981	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
1969 - 1981	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
1962 - 1974	CHRYSLER	8.75" rg	30	10					1240
1966 - 1971	CHRYSLER	7.25" rg	25	9		6 Cyl			
1966 - 1970	DANA	Model 60	30	10		RT/SuperBee/V8-426/440	92-0460-3000	92-0460-3020	2610
1968	CHRYSLER	9.25" rg	31	12		Polaris/Monaco	92-0392-3105	92-0392-3125	1220
1962 - 1965	CHRYSLER	8.25" rg	27	10		6 Cyl	92-0382-2705	92-0382-2725	1230
Aspen									
Rear Axle									
1976 - 1980	CHRYSLER	7.25" rg	25	9					
1976 - 1980	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
Challenger									
Rear Axle									
1970 - 1974	CHRYSLER	8.75" rg	30	10		All w/Removable carrier			1240
1970 - 1971	DANA	Model 60	30	10		V8-426/440	92-0460-3000	92-0460-3020	2610
1970 - 1971	CHRYSLER	7.25" rg	25	9					

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
Charger									
Rear Axle									
1974 - 1978		CHRYSLER	9.25" rg	31	12		92-0392-3105	92-0392-3125	1220
1969 - 1978		CHRYSLER	8.25" rg	27	10	V8-318/400	92-0382-2705	92-0382-2725	1230
1966 - 1974		CHRYSLER	8.75" rg	30	10	All w/Removable carrier			1240
1966 - 1972		DANA	Model 60	30	10	V8-426/440	92-0460-3000	92-0460-3020	2610
1968 - 1970		CHRYSLER	7.25" rg	25	9				
Dart									
Rear Axle									
1973 - 1976		CHRYSLER	8.25" rg	27	10		92-0382-2705	92-0382-2725	1230
1963 - 1976		CHRYSLER	7.25" rg	25	9	66-72 N/R Carrier			
1966 - 1972		CHRYSLER	8.75" rg	30	10				1240
1966 - 1970		CHRYSLER	8.75" rg	30	10	All w/Removable carrier			1240
Diplomat									
Rear Axle									
1977 - 1989		CHRYSLER	7.25" rg	25	9				
1977 - 1989		CHRYSLER	8.25" rg	27	10		92-0382-2705	92-0382-2725	1230
Magnum									
Rear Axle									
1979		CHRYSLER	8.25" rg	27	10	V8-318	92-0382-2705	92-0382-2725	1230
1979		CHRYSLER	9.25" rg	31	12	V8-360	92-0392-3105	92-0392-3125	1220
Marada									
Rear Axle									
1980 - 1983		CHRYSLER	8.25" rg	27	10	V8	92-0382-2705	92-0382-2725	1230
1980 - 1983		CHRYSLER	7.25" rg	25	10	6 Cyl			
Viper									
Rear Axle									
1992 - 2000		DANA	Model 44	30					
DODGE									
<i>Trucks</i>									
Dakota									
Front Axle (see page 122)									
1997 - 2000		DANA	Model 35	27	10	IFS/ABS	92-0435-2702		2311S2
Rear Axle									
1998 - 2003		CHRYSLER	9.25" rg	31	12		92-0392-3105	92-0392-3125	1220
1997 - 2003		CHRYSLER	8.25" rg	29	10	L/S std.	92-0382-2905		
1987 - 1998		CHRYSLER	7.25" rg	25	10	Octagon cover			
1987 - 1996		CHRYSLER	8.25" rg	27	10	Round cover/L/S std. 94 up	92-0382-2705	92-0382-2725	1230
Durango									
Front Axle (see page 122)									
1998 - 2001		DANA	Model 35	27	10	IFS/ABS	92-0435-2706		2311S2
Rear Axle									
1998 - 2003		CHRYSLER	8.25" rg	29	10	V6	92-0382-2905		
1998 - 2003		CHRYSLER	9.25" rg	31	12	V8	92-0392-3105	92-0392-3125	1220
Pick-Up (1/2-ton)									
Front Axle (see page 122)									
1969 - 2001		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1967 - 1968		DANA	Model 44	19	10		92-0444-1900		2413
Rear Axle									
1981 - 2003		CHRYSLER	9.25" rg	31	12		92-0392-3105	92-0392-3125	1220
1971 - 1993		CHRYSLER	8.25" rg	27	10		92-0382-2705	92-0382-2725	1230
1967 - 1974		CHRYSLER	8.75" rg	30	10	w/Removable carrier			1240
Pick-Up (3/4-ton)									
Front Axle (see page 122)									
1981 - 2001		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1975 - 2000		DANA	Model 60	35	10	90"x20" Snow Commander	92-0460-3500	92-0460-3520	2620
1989 - 1993		DANA	Model 70	32	10	96"x27" Snow Commander	92-0470-3200		2711
1971 - 1974		DANA	Model 70	35	10		92-0470-3500		2710
1967 - 1968		DANA	Model 44	19	10	std.	92-0444-1900		2413
Rear Axle									
1994 - 2001		DANA	Model 70	32	10	FF Axle, V10&Dies, Auto	92-0470-3200		2711
1994 - 2001		DANA	Model 80	37	10	FF Axle, V10 & Diesel	92-0480-3700		2811
1983 - 2000		DANA	Model 60	30	10	FF Axle, V8, Man Trans	92-0460-3000	92-0460-3020	2610
1995 - 2000		CHRYSLER	9.25" rg	31	12	SF Axle, V8, Auto Trans	92-0392-3105	92-0392-3125	1220
1981 - 1994		CHRYSLER	9.25" rg	31	12	SF Axle, V8, Auto Trans	92-0392-3105	92-0392-3125	1220
Pick-Up (1-ton & 1 1/2-ton)									
Front Axle (see page 122)									
1975 - 2000		DANA	Model 60	35	10		92-0460-3500	92-0460-3520	2620
1971 - 1974		DANA	Model 70	35	10	96"x27" Snow Commander	92-0470-3500		2710
Rear Axle									
1994 - 2001		DANA	Model 80	37	10		92-0480-3700		2811
1981 - 1993		DANA	Model 60	30	10	6200 gww	92-0460-3000	92-0460-3020	2610
1977 - 1993		DANA	Model 70	35	10	7500 gww	92-0470-3500		2710
1971 - 1974		DANA	Model 70	35	10		92-0470-3500		2710
Ramcharger									
Front Axle (see page 122)									
1974 - 1993		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1974 - 1993		CHRYSLER	9.25" rg	31	12		92-0392-3105	92-0392-3125	1220

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
DODGE									
<i>Trucks</i>									
Van 100									
Rear Axle									
1974 - 1980	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
1971 - 1980	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	92-0382-2705	92-0382-2725	1230	
1964 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier			1240	
Van 150									
Rear Axle									
1981 - 1994	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	92-0382-2705	92-0382-2725	1230	
1984	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
1982	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
Van 200									
Rear Axle									
1974 - 1980	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
1971 - 1980	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	92-0382-2705	92-0382-2725	1230	
1971 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier			1240	
Van 250									
Rear Axle									
1982 - 1994	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
1983 - 1994	DANA	Model 60	30	10		92-0460-3000	92-0460-3020	2610	
1981 - 1984	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	92-0382-2705	92-0382-2725	1230	
Van 300									
Rear Axle									
1971 - 1980	DANA	Model 60	35	10	All	92-0460-3000	92-0460-3020	2610	
Van 350									
Rear Axle									
1984 - 1994	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
1981 - 1994	DANA	Model 60	30	10	All w/10 bolt cover	92-0460-3000	92-0460-3020	2610	
Van 1500									
Rear Axle									
1997 - 2000	CHRYSLER	8.25" rg	29	10	All w/10 bolt cover	92-0382-2905			
1995 - 1996	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	92-0382-2705	92-0382-2725	1230	
Van 2500									
Rear Axle									
1997 - 2000	CHRYSLER	8.25" rg	29	10	All w/10 bolt cover	92-0382-2905			
1995 - 2000	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
1995 - 1996	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	92-0382-2705	92-0382-2725	1230	
Van 3500									
Rear Axle									
1995 - 2001	DANA	Model 60	30	10	All w/10 bolt cover	92-0460-3000	92-0460-3020	2610	
1995 - 2000	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	92-0392-3105	92-0392-3125	1220	
FORD									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
1979 - 2000	FORD	8.8" rg	28	10	V8	92-0688-2807	92-0688-2827	1820	
1979 - 1981	FORD	7.5" rg	28	10	6 Cyl	92-0675-2805	92-0675-2825	1830	
1978	FORD	9" rg	28	10		92-0690-2800		1810	
1965 - 1978	FORD	9" rg	28	10		92-0690-2800		1810	
Fairlane									
Rear Axle									
1962 - 1970	FORD	8" rg	28	10	302 or smaller eng.	92-0680-2800		1810	
1962 - 1970	FORD	9" rg	28	10	V8-351W/390/428/289 Spcl	92-0690-2800		1810	
1962 - 1968	FORD	7.25" rg			N/R Carrier				
Fairmont									
Rear Axle									
1978 - 1983	FORD	7.5" rg	28	10		92-0675-2805	92-0675-2825	1830	
1979 - 1982	FORD	6.75" rg		8	4 Cyl.				
Granada									
Rear Axle									
1981 - 1982	FORD	7.5" rg	28	10		92-0675-2805	92-0675-2825	1830	
1975 - 1980	FORD	9" rg	28	10		92-0690-2800		1810	
1975 - 1980	FORD	8" rg	28	10		92-0680-2800		1810	
1977 - 1978	FORD	8.7" rg			N/R Carrier				
LTD									
Rear Axle									
1983 - 1986	FORD	7.5" rg	28	10		92-0675-2805	92-0675-2825	1830	
LTD II									
Rear Axle									
1977 - 1979	FORD	9" rg	28	10		92-0690-2800		1810	
Maverick									
Rear Axle									
1970 - 1977	FORD	8" rg	28	10		92-0680-2800		1810	
1971	FORD	7.25" rg			N/R Carrier				
Mustang									
Rear Axle									
1999 - 2000	FORD	8.8" rg	31	10	Cobra				
1986 - 2001	FORD	8.8" rg	28	10	All V8 Exc. 99-00 Cobra	92-0688-2807	92-0688-2827	1820	
1979 - 2001	FORD	7.5" rg	28	10	All V6			1830	
1986 - 1998	FORD	8.8" rg	31	10	GT, after market axle	92-0688-3107	92-0688-3127	1821	
1982 - 1986	FORD	8.8" rg	28	10	GT	92-0688-2807	92-0688-2827	1820	
1979 - 1982	FORD	6.75" rg		8	4 Cyl				
1964 - 1978	FORD	8" rg	28	10	V8 289/302	92-0680-2800		1810	
1965 - 1973	FORD	9" rg	31	10	after market axle	92-0690-3100		1810	
1965 - 1973	FORD	9" rg	28	10	V8 351W/390/427/428/289spec	92-0690-2800		1810	

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
FORD									
<i>Cars</i>									
Pinto									
Rear Axle									
1978 - 1980	FORD	6.75" rg	8	4 Cyl					
1975 - 1980	FORD	8" rg	28	10	6 Cyl	92-0680-2800		1810	
Thunderbird									
Rear Axle									
1987 - 1989	FORD	8.8" rg	28	10	GT,V8,V6 Turbo	92-0688-2807	92-0688-2827	1820	
1980 - 1997	FORD	7.5" rg	28	10	exc. Turbo, V8	92-0675-2805	92-0675-2825	1830	
1957 - 1979	FORD	9" rg	28	10		92-0690-2800		1810	
1957 - 1979	FORD	9" rg	31	10	after market axle	92-0690-3100		1810	
FORD									
<i>Trucks</i>									
Aerostar									
Front Axle (see page 122)									
1990 - 1997	DANA	Model 28	23	10					2116
Rear Axle									
1990 - 1997	FORD	8.8" rg	31	10	4.0/4.9 V6	92-0688-3108	92-0688-3128	1822	
1986 - 1997	FORD	7.5" rg	28	10	3.0/4cyl Fill plug in Housing	92-0675-2805	92-0675-2825	1830	
1986 - 1990	DANA	Model 30	27	10	3.0/4cyl Fill plug in Cover	92-0430-2700		2210	
Bronco II									
Front Axle (see page 122)									
1984 - 1991	DANA	Model 28	23	12					2116
Rear Axle									
1984 - 1991	FORD	7.5" rg	28	10		92-0675-2805	92-0675-2825	1830	
Bronco (Full size)									
Front Axle (see page 122)									
1994 - 1996	DANA	Model 44	30	10	IFS	92-0444-3001		2410	
1971 - 1993	DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410	
Rear Axle									
1987 - 1996	FORD	8.8" rg	31	10		92-0688-3108	92-0688-3128	1822	
1983 - 1986	FORD	8.8" rg	31	10		92-0688-3107	92-0688-3127	1821	
1976 - 1986	FORD	9" rg	31	10		92-0690-3100		1810	
1966 - 1976	FORD	9" rg	28	10		92-0690-2800		1810	
1966 - 1970	DANA	Model 30	27	10		92-0430-2700		2210	
Excursion									
Rear Axle									
2000	FORD	10.5" rg	35	12	See cover ID chart	92-0605-3500	92-0605-3520		
Expedition									
Front Axle (see page 122)									
2003	DANA	Model 80				92-0480-3500			
1997 - 2000	DANA	Model 44	30	10	IFS	92-0444-3001		2410	
Rear Axle									
1997 - 2002	FORD	8.8" rg	31	10	4.6 eng	92-0688-3108	92-0688-3128	1822	
1997 - 2000	FORD	9.75" rg	34	10	5.4 eng				
Explorer									
Front Axle (see page 122)									
1995 - 2001	DANA	Model 35	27	10	IFS				2311
1991 - 1994	DANA	Model 35	27	12					2310
Rear Axle									
1991 - 2003	FORD	8.8" rg	31	10	See cover ID chart	92-0688-3108	92-0688-3128	1822	
Pick-Up (F100 & F150)									
Front Axle (see page 122)									
1999 - 2003	DANA	8.8" rg	31	10	IFS	92-0688-3108		1822	
1967 - 1997	DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410	
1957 - 1966	DANA	Model 44	19	10		92-0444-1900		2413	
Rear Axle									
1998 - 2003	FORD	9.75" rg	34	10	5.4				
1987 - 2005	FORD	8.8" rg	31	10	4.2/4.6 manual transmission	92-0688-3108	92-0688-3128	1822	
1983 - 1986	FORD	8.8" rg	31	10		92-0688-3107	92-0688-3127	1821	
1976 - 1986	FORD	9" rg	31	10		92-0690-3100		1810	
1959 - 1986	FORD	9" rg	35	10	w/spec hi-perf 35 spl axles	92-0690-3500			
1977 - 1979	DANA	Model 44	30	10	See cover ID chart	92-0444-3000	92-0444-3020	2410	
1959 - 1977	FORD	9" rg	28	10		92-0690-2800		1810	
Pick-Up (F250)									
Front Axle (see page 122)									
1997 - 2001	DANA	Model 44	30	10	IFS under 8500 gvw	92-0444-3001		2410	
1997 - 2003	DANA	Model 50	30		IFS over 8500 gvw			2510	
1985 - 1996	DANA	Model 44	30	10	Beam axle under 8500 gvw	92-0444-3000	92-0444-3020	2410	
1975 - 1996	DANA	Model 60	35	10	See cover ID chart 4500 Axle	92-0460-3500	92-0460-3520	2620	
1980 - 1990	DANA	Model 50	30	10	Beam axle over 8500 gvw			2510	
1969 - 1973	DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410	
Rear Axle									
1996 - 2001	FORD	9.75" rg	34	10	See cover ID chart				
1999 - 2001	FORD	10.5" rg	35	12	See cover ID chart (3 pinion)				
1985 - 1998	FORD	10.25" rg	35	12	See cover ID chart (2 pinion)			1840	
1995 - 1996	DANA	Model 60	32	10	See cover ID chart	92-0460-3200	92-0460-3220		
1987 - 1996	FORD	8.8" rg	31	10		92-0688-3108	92-0688-3128	1822	
1983 - 1986	FORD	8.8" rg	31	10		92-0688-3107	92-0688-3127	1821	
1983 - 1985	DANA	Model 70	35	10		92-0470-3500		2710	
1980 - 1985	DANA	Model 61	30	10	Semi-floating axle				
1980 - 1985	DANA	Model 60	30	10	Semi-floating axle	92-0460-3005	92-0460-3025	2610	
1969 - 1979	DANA	Model 60	30	10	Semi-floating axle	92-0460-3000	92-0460-3020	2610	

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
FORD									
<i>Trucks</i>									
Pick-Up (F350)									
Front Axle (see page 122)									
1974 - 1997	DANA	Model 60	35	10			92-0460-3500	92-0460-3520	2620
1980 - 1985	DANA	Model 50	30	10	Beam axle				2510
1981	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
Rear Axle									
1985 - 1998	FORD	10.25" rg	35	12		See cover ID chart (2 pinion)			1840
1980 - 1985	DANA	Model 70	35	10			92-0470-3500		2710
1980 - 1985	DANA	Model 60	30	10		Semi-floating axle	92-0460-3005	92-0460-3025	2610
1975 - 1981	DANA	Model 61	30	10					
1974 - 1979	DANA	Model 60	30	10			92-0460-3000	92-0460-3020	2610
Pick-Up (F350 Super-Duty)									
Front Axle (see page 122)									
1998 - 2002	DANA	Model 60	35	10			92-0460-3500	92-0460-3520	2620
Rear Axle									
1998 - 2000	DANA	Model 80	35	10			92-0480-3500		2810
Pick-Up (F450 Super-Duty)									
Front Axle (see page 122)									
1988 - 2001	DANA	Model 60	35	10			92-0460-3500	92-0460-3520	2620
Rear Axle									
1988 - 2001	DANA	Model 80	37	10			92-0480-3700		2811
Ranger									
Front Axle (see page 122)									
1997 - 2000	DANA	Model 35	27	10		IFS & ABS			2311
1987 - 1989	DANA	Model 35	27	10		IFS	92-0435-2701		2309
1990 - 1997	DANA	Model 28	23	12					2310
Rear Axle									
1987 - 2003	FORD	8.8" rg	28	10		4.0/4.9 eng	92-0688-2807	92-0688-2827	1820
1983 - 2001	FORD	7.5" rg	28	10		2.5/2.9/3.0 eng			1830
1984 - 1986	FORD	8.8" rg	31	10		4.0 engine	92-0688-3107	92-0688-3127	1821
1983 - 1984	FORD	6.75" rg	28	8		2.0/2.2/2.3 eng			
Vans (1/2-ton)									
Rear Axle									
1997 - 2001	FORD	9.75" rg	34	10		5.4 eng			
1987 - 2001	FORD	8.8" rg	31	10		w/ Removeable Carrier	92-0688-3108	92-0688-3128	1822
1965 - 1987	FORD	9" rg	31	10		w/ Non-Removeable Carrier	92-0690-3100		1810
1965 - 1967	FORD	7.25" rg	24			6-200 eng.			
Vans (3/4-ton)									
Rear Axle									
1997 - 2001	FORD	9.75" rg	34	10					
1980 - 2001	DANA	Model 60	30	10		Semi-floating axle	92-0460-3005	92-0460-3025	2610
1987 - 1996	FORD	8.8" rg	31	10		See cover ID chart	92-0688-3108	92-0688-3128	1822
1979 - 1987	DANA	Model 61	30	10		See cover ID chart			
1983 - 1986	FORD	8.8" rg	31	10		See cover ID chart	92-0688-3107	92-0688-3127	1821
1968 - 1974	FORD	9" rg	31	10			92-0690-3100		1810
Vans (1-ton)									
Rear Axle									
1997 - 2001	FORD	Model 60	32	10		See cover ID chart	92-0460-3200	92-0460-3220	
1980 - 2001	DANA	Model 60	30	10		Semi-floating axle	92-0460-3005	92-0460-3025	2610
1975 - 2000	DANA	Model 70	35	10		See cover ID chart	92-0470-3500		2710
1979 - 1987	DANA	Model 61	30	10		See cover ID chart			
1968 - 1974	DANA	Model 60	35	10			92-0460-3500	92-0460-3520	2620
Van (Super-Duty)									
Rear Axle									
1996 - 2000	DANA	Model 80	37	10			92-0480-3700		2811
FOR GENERAL MOTORS- SEE CHEVROLET									
HONDA									
<i>Trucks</i>									
Passport									
Rear Axle									
1996 - 1999	GM	7.625" rg	28	10		4 cyl & 2WD	92-0776-2805	92-0776-2885 (*)	1931
1994 - 1998	DANA	Model 44	30	10		V6	92-0444-3000	92-0444-3020	2410
1994 - 1995	GM	7.5" rg	26	10		4 cyl & 2WD	92-0775-2605		1930
IHC (International Harvester)									
<i>Trucks</i>									
Scout									
Front Axle (see page 122)									
1961 - 1971	DANA	Model 27	10	10					2115
Rear Axle									
1961 - 1967	DANA	Model 27	10	10					2115
Scout II									
Front Axle (see page 122)									
1972 - 1980	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
Rear Axle									
1968 - 1980	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
ISUZU									
<i>Trucks</i>									
Amigo									
Rear Axle									
	1998 - 2000	GM	7.625" rg	28	10	2WD	92-0776-2805	92-0776-2885 (*)	1931
	1998 - 2000	DANA	Model 44	30	10	4WD	92-0444-3000	92-0444-3020	2410
Hombre									
Front Axle (see page 122)									
	1996 - 1999	GM	7.2" rg	26					1935
Rear Axle									
	1996 - 1999	GM	7.625" rg	28	10	2WD	92-0776-2805	92-0776-2885 (*)	1931
P'up									
Rear Axle									
	1990 - 1994	GM	7.5" rg	26	10	2WD U.S. Built	92-0775-2605		1930

NOTE: (*) = Fits Gov Lock Differential Case Only

ISUZU									
<i>Trucks</i>									
Rodeo									
Front Axle (see page 122)									
	1998 - 2000	DANA	Model 44	30	10	FS	92-0444-3001		2410
Rear Axle									
	1993 - 2000	DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
	1991 - 1992	ISUZU		26		4WD (Japan)			
	1991 - 2000	GM	7.625" rg	28	10	4cyl & 2WD	92-0776-2805	92-0776-2885 (*)	1931
Trooper									
Rear Axle									
	1984 - 1987	ISUZU			17				3110
	1988 - 1991	ISUZU			26				

JEEP									
<i>Trucks</i>									
Cherokee XJ									
Front Axle (see page 122)									
	1984 - 2001	DANA	Model 30	27	10		92-0430-2700		2210
Rear Axle									
	1997 - 2001	CHRYSLER	8.25" rg	29	10		92-0382-2905	92-0382-2925	
	1994 - 1997	DANA	Model 35	27	10	Trac-Lok standard	92-0435-2706	92-0435-2725	2311
	1991 - 1996	CHRYSLER	8.25" rg	27	10		92-0382-2705	92-0382-2725	1230
	1987 - 1993	DANA	Model 44	30	10	(metric ton or towing opt)	92-0444-3000	92-0444-3020	2410
	1990 - 1993	DANA	Model 35	27	10		92-0435-2705	92-0435-2725	2310
	1984 - 1989	DANA	Model 35	27	10		92-0435-2700		2309
CJ-2A									
Front Axle (see page 122)									
	1945 - 1949	DANA	Model 25	10	10				2110
Rear Axle									
	1941 - 1948	DANA	Model 41	10	10				2416
CJ-3A									
Front Axle (see page 122)									
	1948 - 1953	DANA	Model 25	10	10				2110
Rear Axle									
	1949 - 1953	DANA	Model 44	10	10				2415
	1948	DANA	Model 41	10	10				2416
CJ-3B									
Front Axle (see page 122)									
	1964 - 1968	DANA	Model 27	10	10				2115
	1952 - 1964	DANA	Model 25	10	10				2110
Rear Axle									
	1952 - 1965	DANA	Model 44	10	10				2415
CJ-5									
Front Axle (see page 122)									
	1972 - 1983	DANA	Model 30	27	10		92-0430-2700		2210
	1966 - 1971	DANA	Model 27	10	10				2115
	1955 - 1965	DANA	Model 25	10	10				2110
Rear Axle									
	1976 - 1983	AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
	1971 - 1975	DANA	Model 44	30	10		92-0444-3060	92-0120-3020	2410
	1966 - 1970	DANA	Model 44	19	10				2413
	1955 - 1965	DANA	Model 44	10	10				2415
CJ-6									
Front Axle (see page 122)									
	1972 - 1975	DANA	Model 30	27	10		92-0430-2700		2210
	1966 - 1971	DANA	Model 27	10	10				2115
	1958 - 1965	DANA	Model 25	10	10				2110
Rear Axle									
	1971 - 1975	DANA	Model 44	30	10		92-0444-3000		2410
	1958 - 1965	DANA	Model 44	10	10				2415
Liberty									
Front Axle									
	2001 - 2004	DANA	Model 30	27	10		92-0430-2700		2210
Rear Axle									
	2001 - 2004	CHRYSLER	8.25" rg	29	10		92-0382-2905		



Always in stock at your local RICHMOND distributor

Phone: 864-843-9231 • Fax: 864-843-2964 • www.richmondgear.com

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
JEEP									
<i>Trucks</i>									
CJ-7									
Front Axle (see page 122)									
1976 - 1986		DANA	Model 30	27	10		92-0430-2700		2210
Rear Axle									
1976 - 1986		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
1986		DANA	Model 44	30	10	Has c-clip style cross pin			
CJ-8 Scrambler									
Front Axle (see page 122)									
1981 - 1985		DANA	Model 30	27	10		92-0430-2700		2210
Rear Axle									
1981 - 1985		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
Comanche									
Front Axle (see page 122)									
1986 - 1992		DANA	Model 30	27	10		92-0430-2700		2210
Rear Axle									
1986 - 1992		DANA	Model 35	27	10		92-0435-2705	92-0435-2725	2310
1986 - 1992		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1986		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
Grand Cherokee ZJ									
Front Axle (see page 122)									
1993 - 2000		DANA	Model 35	27	10	Select-Trac	92-0435-2706		2311
1993 - 2000		DANA	Model 30	27	10	Command-Track	92-0430-2700		2210
1980 - 1987		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1999 - 2001		DANA	Model 44	30	10	Aluminum Case			
1993 - 2001		DANA	Model 35	27	10	See cover ID chart	92-0435-2706		2311
1997 - 1998		CHRYSLER	8.25" rg	29	10		92-0382-2905		
1995 - 1998		DANA	Model 44	30	10	See cover ID chart	92-0444-3000	92-0444-3020	2410
1993 - 1996		CHRYSLER	8.25" rg	27	10		92-0382-2705	92-0382-2725	1230
1986 - 1987		DANA	Model 44	30	10	See cover ID chart	92-0444-3000	92-0444-3020	2410
1980 - 1986		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
Grand Wagoneer									
Front Axle (see page 122)									
1993		DANA	Model 44	30		IFS	92-0444-3001		2410
1984 - 1991		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1993		DANA	Model 35	27	10		92-0435-2705	92-0435-2725	2310
1986 - 1991		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1984 - 1986		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
J Pick-Up									
Front Axle (see page 122)									
1962 - 1972		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1971 - 1972		DANA	Model 60	30	10		92-0460-3005	92-0460-3025	2610
1962 - 1970		DANA							
1962 - 1968		DANA	Model 70	35	10	Dual Rear Wheel	92-0470-3500		2710
J-10 Pick-up									
Front Axle (see page 122)									
1973 - 1988		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1973 - 1988		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1979 - 1986		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
J-20 Pick-up									
Front Axle (see page 122)									
1973 - 1988		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1986 - 1988		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710
1973 - 1988		DANA	Model 44	30	10	See cover ID chart	92-0444-3000	92-0444-3020	2410
JEEP									
<i>Trucks</i>									
Jeepster Commando									
Front Axle (see page 122)									
1972 - 1973		DANA	Model 30	27	10		92-0430-2700		2210
1967 - 1971		DANA	Model 27	10	10				2115
Rear Axle									
1967 - 1973		DANA	Model 44	30	10		92-0444-3000		2410
1967 - 1970		DANA	Model 30	27	10		92-0430-2700		2210
Pick-Up									
Front Axle (see page 122)									
1980 - 1987		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
Rear Axle									
1995 - 2000		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1993 - 2000		DANA	Model 35	27	10		92-0435-2706		2311
1997 - 1999		CHRYSLER	8.25" rg	29	10		92-0382-2905	92-0382-2925	
1993 - 1996		CHRYSLER	8.25" rg	27	10		92-0382-2705	92-0382-2725	1230
1986 - 1987		DANA	Model 44	30	10		92-0444-3000	92-0444-3020	2410
1980 - 1986		AMC	AMC 20	29	12		92-0120-2900	92-0120-2920	1710

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
Wagoneer SJ									
Front Axle (see page 122)									
1974 - 1991	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
1973	DANA	Model 30	27	10			92-0430-2700		2210
1962 - 1972	DANA	Model 27	10	10					2115
Rear Axle									
1971 - 1990	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
1984 - 1990	DANA	Model 35	27	10			92-0435-2705	92-0435-2725	2310
1962 - 1968	DANA	Model 44	19	10			92-0444-1900		2413
Wrangler TJ & YJ									
Front Axle (see page 122)									
1987 - 2005	DANA	Model 30	27	10			92-0430-2700		2210
Rear Axle									
1997 - 2006	DANA	Model 44	30	10			92-0444-3000	92-0444-3020	2410
1994 - 2006	DANA	Model 35	27	10	(Gear Hub 1.555)		92-0435-2706	92-0435-2725	2311
1990 - 1993	DANA	Model 35	27	10	(Gear Hub 1.625)		92-0435-2705	92-0435-2725	2310
1987 - 1989	DANA	Model 35	27	10			92-0435-2700		2309
LEXUS									
<i>Trucks</i>									
LX-450									
Front Axle (see page 122)									
1996 - 2000	TOYOTA	8" rg	30				92-2080-3001		1610
Rear Axle									
1996 - 2000	TOYOTA	8.875" rg	30	12			92-2088-3005		1630
LINCOLN									
<i>Cars</i>									
Continental									
Rear Axle									
1982 - 1987	FORD	7.5" rg	28	10	6 Cyl.		92-0675-2805	92-0675-2825	1830
1982 - 1987	FORD	8.8" rg	28	10	8 Cyl.		92-0688-2807	92-0688-2827	1820
LS									
Rear Axle									
2000									
Mark Series									
Rear Axle									
1993 - 2000	FORD	7.5" rg	28	10			92-0675-2805	92-0675-2825	1830
1980 - 1997	FORD	8.8" rg	28	10	4.0 engine or larger		92-0688-2807	92-0688-2827	1820
1984 - 1987	FORD	7.5" rg	28	10			92-0675-2805	92-0675-2825	1830
1968 - 1979	FORD	9" rg	28	10			92-0690-2800		1810
Town Car									
Rear Axle									
1980 - 2000	FORD	8.8" rg	28	10			92-0688-2807	92-0688-2827	1820
1966 - 1979	FORD	9" rg	28	10			92-0690-2800		1810
LINCOLN									
<i>Trucks</i>									
Navigator									
Front Axle (see page 122)									
1998 - 2000	DANA	Model 44	30		IFS		92-0444-3001		2410
Rear Axle									
1998 - 2000	FORD	9.75" rg	34	10					
MAZDA									
<i>Trucks</i>									
Navajo									
Front Axle (see page 122)									
1991 - 1994	DANA	Model 28	23	12					2116
Rear Axle									
1991 - 1994	FORD	8.8" rg	31	10			92-0688-3108	92-0688-3128	1822
Pick-Up									
Front Axle (see page 122)									
1998 - 2000	DANA	Model 35	27	10	IFS/ABS		92-0435-2702		2311
1991 - 1994	DANA	Model 28	23	12					2116
Rear Axle									
1994 - 2000	FORD	8.8" rg	31	10	4.0 V6		92-0688-3108	92-0688-3128	1822
1994 - 2000	FORD	7.5" rg	28	10	3.0 V6		92-0675-2805	92-0675-2825	1830
MERCURY									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
1979 - 1998	FORD	8.8" rg	28	10	V8		92-0688-2807	92-0688-2827	1820
1979 - 1981	FORD	7.5" rg	28	10	6 Cyl.		92-0675-2805	92-0675-2825	1830
1978	FORD	9" rg	28	10	V8-351W/400/460		92-0690-2800		1810
1971 - 1976	FORD	8.75" rg			N/R Carrier				
1965 - 1972	FORD	9" rg	28	10			92-0690-2800		1810

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
Capri									
Rear Axle									
	1986	FORD	8.8" rg	28	10	V8	92-0688-2807	92-0688-2827	1820
	1979 - 1986	FORD	7.5" rg	28	10	6 Cyl	92-0675-2805	92-0675-2825	1830
	1979 - 1982	FORD	6.75" rg						
	1970 - 1978	FORD							
Cougar									
Rear Axle									
	1988 - 1998	FORD	8.8" rg	31	10	GT, after market axle	92-0688-3107	92-0688-3127	1821
	1986 - 1997	FORD	8.8" rg	28	10	All V8	92-0688-2807	92-0688-2827	1820
	1979 - 1997	FORD	7.5" rg	28	10	All V6	92-0675-2805	92-0675-2825	1830
	1979 - 1982	FORD	7.25" rg	28	8	4 Cyl			
	1969 - 1979	FORD	9" rg	28	10	V8-390/427/428	92-0690-2800		1810
	1969 - 1979	FORD	9" rg	31	10	after market axle	92-0690-3100		1810
	1967 - 1978	FORD	8" rg	28	10	V8 289/302	92-0680-2800		1810
Monarch									
Rear Axle									
	1975 - 1980	FORD	8" rg	28	10		92-0680-2800		1810
	1975 - 1980	FORD	9" rg	28	10	V8-351W/400/460	92-0690-2800		1810
	1975 - 1976	FORD	8.75" rg	28	10	V8-351W/400/460			1810
Montego									
Rear Axle									
	1970 - 1976	FORD	9" rg	28	10	V8-351W/400/460	92-0690-2800		1810
	1970 - 1974	FORD	8" rg	28	10	V8-351M	92-0680-2800		1810
Versailles									
Rear Axle									
	1977 - 1980	FORD	9" rg	28	10		92-0690-2800		1810
Zephyr									
Rear Axle									
	1978 - 1983	FORD	7.5" rg	28	10	6 Cyl	92-0675-2805	92-0675-2825	1830
	1979 - 1982	FORD	6.75" rg			4 Cyl			
MERCURY									
<i>Trucks</i>									
Mountaineer									
Front Axle (see page 122)									
	1997 - 2000	DANA	Model 35	27	10	IFS/ABS	92-0435-2702		2311
Rear Axle									
	1997 - 2000	FORD	8.8" rg	31	10		92-0688-3108	92-0688-3128	1822
NISSAN									
<i>Trucks</i>									
1600/2000									
Rear Axle									
	1965 - 1970	NISSAN	H190	23					
200SX									
Rear Axle									
	1981 - 1984	NISSAN	H190	29		Fm 7/81to 11/84			
Hardbody Pick-Up (V6)									
Rear Axle									
	1986 - 1996	NISSAN	H233B	31		4 wd only-V6			3220
Pathfinder									
Rear Axle									
	1986 - 1996	NISSAN	H233B	31		V6 only			3220
	1986 - 1987	NISSAN	C200	29		4 cyl only			
Pick-Up									
Front Axle (see page 24)									
	1986 - 1997	NISSAN	C200	29					
Rear Axle									
	1985 - 1997	NISSAN	H190	29		2 wd only			
Xterra									
Rear Axle									
	2000 - 2001		H233B						3220
OLDSMOBILE									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
	1971 - 1992	GM	8.5" rg	28	10		92-0785-2805		1920
	1972 - 1985	GM	7.5" rg	26	10		92-0775-2605		1930
	1977 - 1983	GM	8.875" rg	30	12		92-0788-3005		1910
	1973 - 1976	GM	8.875" rg	31					
	1971 - 1975	GM	9.375" rg						
	1965 - 1970	GM	8.2" rg	28	10	B.O.P. Differential	92-0782-2801		
Cutlass									
Rear Axle									
	1985 - 1987	GM	8.5" rg	28	10	V8	92-0785-2805		1920
	1978 - 1987	GM	7.5" rg	26	10		92-0775-2605		1930
	1977	GM	8.875" rg	30	12	V8-396 Eng. Or larger	92-0788-3005		1910
	1973 - 1977	GM	8.5" rg	28	10		92-0785-2805		1920
	1961 - 1970	GM	8.2" rg	28	10	B.O.P. Differential	92-0782-2801		

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spine Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
F-85									
Rear Axle									
1971 - 1972	GM	8.5" rg	28	10			92-0785-2805		1920
1969	GM	8.875" rg	30	12			92-0788-3005		1910
1967 - 1969	GM	8.2" rg	28	10	B.O.P. Differential		92-0782-2801		
Bravada									
Front Axle (see page 122)									
1991 - 2000	GM	7.2" rg	26						1935
Rear Axle									
1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87		92-0785-3005		1921
1991 - 2000	GM	7.625" rg	28	10	4WD V6		92-0776-2805	92-0776-2885 (*)	1931

NOTE: (*) = Fits Gov Lock Differential Case Only

PLYMOUTH									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
1982 - 1989	CHRYSLER	7.25" rg	25	10	Octagon cover				
1980 - 1989	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
1980 - 1981	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
1978	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
1978	CHRYSLER	9.25" rg	31	12			92-0392-3105	92-0392-3125	1220
1962 - 1974	CHRYSLER	8.75" rg	30	10					1240
1966 - 1972	DANA	Model 60	30	10	Roadrunner/GTX/1966 all V8		92-0460-3000	92-0460-3020	2610
1967 - 1968	CHRYSLER	9.25" rg	31	12	Fury/VIP		92-0392-3105	92-0392-3125	1220
1962 - 1965	CHRYSLER	8.25" rg	27	10			92-0382-2705	92-0382-2725	1230
Barracuda									
Rear Axle									
1968 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier				1240
1970 - 1971	DANA	Model 60	30	10	V8-426/440		92-0460-3000	92-0460-3020	2610
1964 - 1971	CHRYSLER	7.25" rg	25	9					
Prowler									
Rear Axle									
1997 - 2000	DANA	Model 44	30						
Valiant									
Rear Axle									
1973 - 1976	CHRYSLER	8.25" rg	27	10	V8-318		92-0382-2705	92-0382-2725	1230
1962 - 1976	CHRYSLER	7.25" rg	25	9	6 Cyl				
1966 - 1972	CHRYSLER	8.75" rg	30	10	V8-360				1240
Volare									
Rear Axle									
1976 - 1980	CHRYSLER	8.25" rg	27	10	V8		92-0382-2705	92-0382-2725	1230
1976 - 1980	CHRYSLER	7.25" rg	25	9	6 Cyl				

PONTIAC									
<i>Cars</i>									
All Passenger Models (Unless listed separately below)									
Rear Axle									
1971 - 1989	GM	8.5" rg	28	10	V8		92-0785-2805		1920
1977 - 1986	GM	7.5" rg	26	10			92-0775-2605		1930
1971 - 1985	GM	8.5" rg	28	10			92-0785-2805		1920
1977 - 1981	GM	8.875" rg	30	12			92-0788-3005		1910
1965 - 1970	GM	8.2" rg	28	10	B.O.P. Differential		92-0782-2801		
Firebird									
Rear Axle									
1993 - 2000	ZEXEL				Z28/Y87				
1990 - 2000	GM	7.625" rg	28	10	V6 manual trans		92-0776-2805	92-0776-2885 (*)	1931
1987 - 1989	GM	7.75" rg	9		V8 w/o Z87				
1982 - 1985	GM	7.5" rg	26	10	4 cyl/V6 auto		92-0775-2605		1930
1971 - 1981	GM	8.5" rg	28	10	All		92-0785-2805		1920
1967 - 1970	GM	8.2" rg	28	10	6 cyl, B.O.P. Differential		92-0782-2801		
1967 - 1970	GM	8.875" rg	30	12	V8		92-0788-3005		1910
Grand Prix									
Rear Axle									
1978 - 1987	GM	7.5" rg	26	10			92-0775-2605		1930
1973 - 1977	GM	8.5" rg	28	10			92-0785-2805		1920
1973 - 1976	GM	8.875" rg	31		Station Wagon				
1969 - 1972	GM	8.2" rg	28	10	B.O.P. Differential		92-0782-2801		
1969 - 1970	GM	8.875" rg	30	12			92-0788-3005		1910
LeMans/GTO									
Rear Axle									
1978 - 1981	GM	7.5" rg	26	10			92-0775-2605		1930
1977	GM	8.875" rg	30	12			92-0788-3005		1910
1973 - 1977	GM	8.5" rg	28	10			92-0785-2805		1920
1970 - 1972	GM	8.875" rg	31				92-0788-3005		1910
1964 - 1969	GM	8.2" rg	28	10	B.O.P. Differential		92-0782-2801		
Phoenix									
Rear Axle									
1977 - 1979	GM	8.5" rg	28	10			92-0785-2805		1920
1977 - 1979	GM	7.5" rg	26	10			92-0775-2605		1930



Always in stock at your local RICHMOND distributor

Phone: 864-843-9231 • Fax: 864-843-2964 • www.richmondgear.com

Application Guide

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System		Lock-Right
							Open Case	Limited-Slip	Open Case
SUZUKI									
<i>Trucks</i>									
Samurai									
Front Axle (see page 122)									
1989 - 1995									
1986 - 1988									
22									
Rear Axle									
1989 - 1995 SUZUKI									
6.9" rg									
26									
10									
1510									
1510 or 1530 (*)									
Sidekick									
Front Axle (see page 122)									
1989 - 1998									
Rear Axle									
1989 - 1995 SUZUKI									
6.9" rg									
26									
10									
1512 or 1532 (*)									
Vitara									
Front Axle (see page 122)									
1999 - 2000									
Rear Axle									
1999 - 2000									
Grand Vitara									
Front Axle (see page 122)									
1999 - 2001									
Rear Axle									
1999 - 2001									
SUZUKI									
1520									

Note: (*)= Models 1510 & 1512 use the stock side gears. models 1530 & 1532 replace the stock sidegear

TOYOTA									
<i>Trucks</i>									
4Runner									
Front Axle (see page 122)									
1986 - 1999 TOYOTA									
7.5" rg									
27									
All									
1611									
1984 - 1985 TOYOTA									
8" rg									
30									
All									
92-2080-3001									
1610									
Rear Axle									
1986 - 2001 TOYOTA									
8" rg									
30									
V6 4 pinion differential									
1620									
1984 - 1989 TOYOTA									
8" rg									
30									
except V6									
92-2080-3001									
1610									
TOYOTA									
8"									
4 pinion									
1622									
Land Cruiser									
Front Axle (see page 122)									
1998 - 2001 TOYOTA									
9.5" rg									
1990 - 1997 TOYOTA									
8" rg									
30									
92-2080-3001									
1610									
1969 - 1989 TOYOTA									
8.875" rg									
30									
12									
92-2088-3005									
1630									
1950 - 1968 TOYOTA									
8.875" rg									
10									
92-2088-1005									
1630									
Rear Axle									
1998 - 2001 TOYOTA									
1969 - 1997 TOYOTA									
8.875" rg									
30									
12									
92-2088-3005									
1630									
1950 - 1968 TOYOTA									
8.875" rg									
10									
92-2088-1005									
1630									
TOYOTA									
8.875"									
10									
4 pinion									
1640									
Pick-Up									
Front Axle (see page 122)									
1986 - 1995 TOYOTA									
7.5" rg									
27									
FS									
1611									
1979 - 1985 TOYOTA									
8" rg									
30									
Beam axle									
92-2080-3001									
1610									
Rear Axle									
1985 - 1995 TOYOTA									
8" rg									
30									
w/ V6 or Turbo 4 cyl									
1620									
1969 - 1995 TOYOTA									
7.5" rg									
27									
All 2WD, 4 cyl.									
1611									
1969 - 1995 TOYOTA									
8" rg									
30									
All 4WD, 4 cyl									
92-2080-3001									
1610									
T-100									
Front Axle (see page 122)									
1993 - 1998 TOYOTA									
7.5" rg									
27									
1611									
Rear Axle									
1993 - 1998 TOYOTA									
8" rg									
30									
92-2080-3002									
1615									
Tacoma 4X2									
Rear Axle									
2001 TOYOTA									
4 cyl									
1995 - 1999 TOYOTA									
7.5" rg									
27									
4 cyl									
1611									
1995 - 2004 TOYOTA									
8" rg									
30									
92-2080-3002									
1615									
Tacoma 4X4									
Front Axle (see page 122)									
1999 - 2004 TOYOTA									
All									
1995 - 2004 TOYOTA									
7.5" rg									
27									
All									
1611									
Rear Axle									
1995 - 2004 TOYOTA									
8" rg									
30									
All									
92-2080-3002									
1615									
Tundra									
Front Axle (see page 122)									
1999 - 2004									
Rear Axle									
1999 - 2004 TOYOTA									
8" rg									
30									
92-2080-3002									
1615									

Application Guide

IMPORTANT FRONT AXLE APPLICATION INFORMATION

The Powertrax[®] No-Slip Traction System and Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Powertrax[®] No-Slip Traction System should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4 wheel drive. Vehicles equipped with a Powertrax[®] No-Slip Traction System on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

FREQUENTLY ASKED QUESTIONS

What is a traction-adding differential?

A traction-adding differential provides engine power to the wheels with the most amount of traction. A stock/open differential provides engine power to the wheels with the least amount of resistance or the wheels with the least amount of traction.

Why do I need a Powertrax[®] traction-adding differential?

Powertrax[®] traction adding differentials can enhance the performance of your vehicle in many ways. The No-Slip Traction System and Lock-Right Locker will provide your light truck, sport utility, van, or performance car with maximum traction when you need it most. Whether you need the added traction for safety, recreation, work, or piece of mind, the Powertrax line of traction-adding differentials is what you need.

What is the difference between the No-Slip Traction System and the Lock-Right Locker?

While both products offer maximum traction, full wheel differentiation, and easy installation, each product has features and benefits that meet the needs of different customers. The No-Slip Traction System uses SynTRAC technology and is the latest design in traction adding differentials. It provides the maximum traction of a locking differential combined with the smooth and quiet operation of a limited-slip device. The Lock-Right Locker is our original product line that offers extreme value in a traction-adding differential. The Lock-Right provides maximum traction, but a light clicking noise can be heard when turning as the Lock-Right gears allow for wheel differentiation. On some vehicles the engine noise will overcome the clicking noise.

Can I install a Powertrax No-Slip Traction System or Lock-Right Locker myself?

In most vehicles, the Powertrax No-Slip Traction System and Lock-Right Locker can be installed by the home mechanic in just a few hours. Detailed instructions that are model specific are provided. Call or e-mail us if you have a question about your specific application.

What special tools and/or oils are required during installation?

The No-Slip Traction System and Lock-Right Locker do not require special tools or oils for installation. In most cases, a wrench and screwdriver are all you need. No special oil additives are required because the units are all gear (no frictional clutches).

What kind of maintenance is required once a No-Slip Traction System or Lock-Right Locker is installed in my vehicle?

We recommend you change the differential oil according to your vehicle manufacturer's specifications.

Is a model offered for my vehicle?

We offer applications for a wide range of domestic and import vehicles. Please see our No-Slip Traction System application chart or our Lock-Right Locker application chart.

(Continued on next page)

Application Guide

Can I install a Powertrax[®] product in the front and rear of my 4 WD?

In most cases where an application is available, the answer is yes. However, we do not recommend installing a unit in the front differential if the vehicle has a full time 4 WD and is primarily used on the pavement.

Is the No-Slip Traction System just for trucks/SUV's, or can it be installed in a car?

Installing a No-Slip Traction System in your performance street rod will give you spool performance when coming off the line, combined with full wheel differentiation when turning. Imagine two wheels gripping the pavement instead of one spinning effortlessly.

Do I need a stock/open differential case to install a Powertrax[®] product?

The No-Slip Traction System can be installed in a wide range of stock/open and limited-slip differential cases. For specific applications, please see our application chart or contact us via. phone or e-mail. The Lock-Right Locker can only be installed in stock/open differential cases.

How does a No-Slip Traction System or Lock-Right Locker affect the towing of my trailer?

The No-Slip Traction System or Lock-Right Locker will have no affect on the towing of your trailer on the road other than you will have more traction when you need it.

Can I tow my vehicle if it has a No-Slip Traction System or Lock-Right Locker installed?

Yes. If the unit is installed in the rear differential, the No-Slip Traction System or Lock-Right Locker will simply provide full wheel differentiation when turning. If the unit is installed in the front differential, we recommend unlocking the front wheel hubs and putting the transfer case in 2WD.

Does tire wear increase with a No-Slip Traction System or Lock-Right Locker installed?

No. The No-Slip Traction System and Lock-Right Locker provide full wheel differentiation when turning. Tire wear is minimized.

Will there be a decrease in gas mileage with the No-Slip Traction System or Lock-Right Locker installed in my vehicle?

No. The No-Slip Traction System and Lock-Right Locker will not have an effect on your "on the road" gas mileage. Off road, you could actually increase your mileage because it will take less effort to get through the loose traction conditions. With a standard open differential you will have to apply more power and get more wheel spin-up, thus using more gas.

What is the price of the No-Slip Traction System and Lock-Right Locker?

Please contact a local distributor or call us for a distributor near you. All our distributors offer competitive pricing.

Do you have applications for front wheel drive cars at this time?
















Powertrax[®] does not offer applications for front wheel drive passenger cars at this time.

For Maximum Protection
and Performance use
Part # LUBE (pg 125)



RICHMOND GEAR
Synthetic Gear Oil

Application Guide

 <p>1. Remove cover and drain oil.</p>	 <p>2. Remove cross-shaft.</p>	 <p>3. Push axles in and remove C-clips.</p>
 <p>4. Rotate wheel to remove spider gears.</p>	 <p>5. Remove side gears, and for limited-slip differentials, remove friction plates.</p>	 <p>6. Install couplers, ring gear side first. Install C-clip on ring gear side only.</p>
 <p>7. Insert springs between drivers, on both sides</p>	 <p>8. Insert spacer in driver and seal together on ring gear side coupler</p>	 <p>9. Insert driver and spacer on opposite side coupler.</p>
 <p>10. Insert springs between drivers, on both sides.</p>	 <p>11. Check gap between drivers using check block provided.</p>	 <p>12. Push in axle and insert second C-clip thru slot in driver/spacer.</p>
 <p>13. Install cross-shaft. Twist and push to get past saddle springs.</p>	 <p>14. Test by holding driver side wheel forward. Sharply turn the passenger side wheel in opposite direction (to disengage the unit). Passenger wheel should rotate freely.</p>	 <p>15. Apply sealant to cover and reinstall. Add differential oil.</p>

The Powertrax No-Slip Traction system installs easily (about 1.5 hours) in your existing case without special tools or skills. Easily upgrades open, limited slip and locking differentials. Visit www.richmondgear.com for complete installation manuals and instructions.